Sanitized Approved the FUE	NTIAL -	P83-00428-009	122 AYR
PRESENTATION FORM FOR GRAPHIC MA	TERIAL TO	P83-00429R009	500270004-4°C
(Submit to HQ-00/C in triplicate with process shee	1	12 August 19	54
DIST: ORIG-GRAPHICS; DUPL-CASE FILE; TRIPL-SOURCE FILE		GIFT	X LOAN
USSR USSR			· ·
SUBJECT			
Personalities and Installation, Dneig	prostroi Dam		
NUMBER OF ITEMS AND CATEGORY (Still photographs, negat	ives, or slides)	20	0.11
DATE OF EXPOSURE 1933-34		a accession	· - Rux - for B.
CHECK CLASSIFICATION OF PHOTOGRAPHS WHEN SEPARATED FROM	THIS FORM. (The	classification need	not be the same.)
U. S. OFFICIALS ONLY	CIA OFFICIALS ONL		SECRET
CONFIDENTIAL RESTRI		XUNCLASS	<del></del>
BRIEF SOURCE DESCRIPTION			
			25X
S SOURCE APT TO MAKE ADDITIONAL PHOTOGRAPHIC MATERIAL	AVAILABLE?	Yes X No	
MAY SOURCE'S NAME BE REVEALED TO GRAPHICS REGISTER, OCD		X Yes No	
DESCRIPTION	OF MATERIAL	т.	
whoto (1) made in governor room of Dneipro units were being tested. Standing behind the next two men unidentified); STERNBERG tendent of the power plant; IBUTOULIN - as engineer in charge of all hydroelectric de electrical engineer and professor at the U of hydraulics at University of Leningrad, needed at Dneiprostroi. After World War I that he was in the US and asking for a job CARPOV - engineer; seated center facing catche Pre-Revolutionary period; Photo (2) - WASSIN (identified in Photo (1)) and next lew engineer. Seated at left are three US (INTER at Dneiprostroi (1933-34) - Both are thoto (1) - Poster of Dneiprostroi; Photo evelopment in USSR, educated in Germany and hoto (3) VEDENEEV, Assistant to WINTER, and (5) two unidentifiable men whom source neiprostroi to check on WINTER and VEDENEED onstruction work.	the table L to a least the table L to a least the Gales is stant to Gales is element in the least two forms and the least two forms are least two forms and the least two forms are least two forms and the least two forms and the least two forms are least two forms and the least two forms are least two forms and the least two forms are least two forms and the least two forms are least two forms and the least two forms are least two forms are least two forms and the least two forms are least two forms are least two forms and the least two forms are least two form	o R are: HIEMAN engineer; GARIN rin; VEDENEEV - a USSR; TOLWINSKY Leningrad; MOSKI kitinov had reporated because his eived a letter for the did not reply, a mechanic with at Dneiprostroi, hidden) PUSHNETSI Photo (3) L - R, elsewhere. Albur in charge of all er of the Communicated and non-Communicated an	- interpreter - superin- assistant to (with beard) FINOV - professor rtedly been im- knowledge ws rom him stating RATKOV - engineer; a experience from seated center (I, a Polish VEDENEEV and a, 1933-34, Il hydroelectric lst Party; communist; (4)
hotos of personnel have been identified sonstallations, if reproduced, can be furnic	shed source fo	ce can remember. or identification	Photos of
CASE NO.	DATE FORWARDED TO	GR BY GMP	
		1911 54	25X1A
N CONTROL NO.	RETURN DEADLINE (1	E LOAN)	
		10 Lest 5	4

FORM NO. Sanitized - Approved For Release : UIF FEB 1953 57-27 PREVIOUS EDITIONS NOT TO BE USED INFORMATION

(47)

	ROUTING AND	CONTROL	RECORD		i i	
DO NOT	DETACH FRO	M 'ON LOA	N, DOCAN	MENTS	¥	
	13 /	August 1954 DATE	<u> </u>			
TO:	APHICS REGIST	<b>⊡</b> R				
ATTN:	<del></del>				7	i
BUILDING  TITLE  Pho	tographs - Per Dneipros	rsonalities stroi Dam	ROOM NO.	allation	ns:	
TITLE				allation	ns	25X1A
TITLE				allation	ns ,	25X1A
TITLE				allation	ns ,	25X1A
TITLE			and Inst	allatio	ns ,	25X1A

Sanitized Ec Approved For Release : CIA-RDP83-00423R901600270001-4

FORM NO. 57-29

(20-40)